



















Carnegie Mellon University Background: Crime Prediction in Chicago Heinz College Since 2009, we have been working with the Chicago Police Department (CPD) to predict and prevent emerging clusters of violent crime. Our new crime prediction methods have been incorporated into our CrimeScan Proactive (vs. reactive) software, run twice a day by CPD and used policy - finding leading operationally for deployment of patrols. indicators. Results: Exploratory Analysis CrimeScan: Cluster Detection We aggregate daily counts for each leading indicator at the block level, and search for clusters of nearby blocks with recent counts that are significantly higher than expected. Imagine moving a circular window around the city, allowing the center, radius, and temporal duration to vary. Is there any spatial window and duration T such that counts have been significantly higher than expected for the last T days? Considering all subsets of census tracts within each of the 77 neighborhoods of Chicago, 28 different potential predictors, and a 1-week lag, we found a correlation of r = .786 between violent crime and a subset of 12 leading indicators, for 10 census tracts in the West Englewood neighborhood. Total run time for all 77 neighborhoods was 2.1 hours Daniel B. Neill (Carnegie Melon University - Event and Pattern Detection Laboratory), Brett Goldstein (fmr Chicago CIO/CDO; Fellow, Harris School of Public Policy, Computation Institute, UChicago)



